# Recipes

**Renastart™** is a powdered formula for use in the dietary management of pediatric kidney disease. These recipes provide ideas and fun ways to drink Renastart.

**Renastort** 



Enhancing Lives Together A Nestlé Health Science Company

### **USE UNDER MEDICAL SUPERVISION**

Check with your child's healthcare professional before making changes to their diet.

All trademarks are owned by Société des Produits Nestlé S.A., Vevey, Switzerland. © 2021 Nestlé.

### How to make the recipes

- ✓ Each recipe uses 100 ml (approx. 3 ½ fl oz) of Renastart at a dilution of 30 kcal/fl oz. This is made by adding 3 level scoops of Renastart to 90 ml (about 3 fl oz) of water.
- All smoothie recipes can be prepared by blending ingredients together until smooth.

### Tips for adding calories and protein

- ✓ For extra calories try adding some heavy whipping cream (1 Tbsp provides 50 kcal, 0.4 g protein, 14 mg potassium, and 9 mg phosphorus).
- For more protein, try adding some dried egg whites (1 Tbsp provides 20 kcal, 4 g protein, 56 mg potassium, and 6 mg phosphorus).

Ask your dietitian if these changes are appropriate.

### **Cool Tips**



Herbs such as mint, lemongrass, and basil can flavor fruit-containing beverages beautifully. Spices such as cinnamon and nutmeg are great for creamy beverages. Experiment to find what your child likes best.



### Mandarin & Mango Smoothie

### Serves: 1

### Ingredients:

100 ml Renastart (approx. 3 ½ fl oz) 1/4 cup canned mandarin segments, drained 1/4 cup canned mango slices, drained A few ice cubes

### 140 calories 2 g protein 152 mg potassium

150 calories

2 a protein

128 mg potassium

53 mg phosphorus

28 mg phosphorus

### **Strawberry Smoothie**

### Serves: 1

### Ingredients:

100 ml Renastart (approx. 3 ½ fl oz)
1 Tbsp Nesquik® strawberry powder
1/3 cup (approx. 4–5) frozen strawberries, unsweetened

### **Pineapple Smoothie**

### Serves: 1

### Ingredients:

100 ml Renastart (approx. 3 ½ fl oz) 1/2 cup canned pineapple chunks, drained 1 Tbsp heavy whipping cream

### Renashake

### Serves: 1

Ingredients:

100 ml Renastart (approx. 3 ½ fl oz) 3/4 cup vanilla ice cream

### Mango Lassi

### Serves: 1

### Ingredients:

100 ml Renastart (approx. 3 ½ fl oz) 1/4 cup mango, frozen 2 ice cubes 2 Tbsp heavy whipping cream 2 tsp sugar Dash of ground cinnamon (optional)

### **Berry Delight**

### Serves: 1

### Ingredients:

100 ml Renastart (approx. 3 ½ fl oz) 1/4 cup fresh strawberries, sliced 1/4 cup fresh raspberries 2 ice cubes 1–2 drops vanilla extract

### **Blueberry Blitz**

### Serves: 1

### Ingredients:

100 ml Renastart (approx. 3 ½ fl oz) 1/2 cup fresh blueberries 2 Tbsp heavy whipping cream 4 ice cubes

### Peach & Berry Smoothie

### Serves: 1

### Ingredients:

100 ml Renastart (approx. 3 ½ fl oz) 1 Tbsp Nesquik® strawberry powder 1/3 cup (approx. 5 slices) frozen peaches, unsweetened 10 fresh raspberries

------

210 calories2 g protein145 mg potassium32 mg phosphorus

310 calories5 g protein216 mg potassium121 mg phosphorus

### 260 calories 3 g protein 117 mg potassium 41 mg phosphorus

130 calories2 g protein130 mg potassium36 mg phosphorus

240 calories 3 g protein 104 mg potassium 44 mg phosphorus

# 160 calories2 g protein181 mg potassium65 mg phosphorus





## When You Want Something Warm

### **Caramel Vanilla Delight**

Serves: 1

### Ingredients:

100 ml Renastart (approx. 3 ½ fl oz) 1 Tbsp caramel syrup A drop of vanilla extract

### Directions:

Heat water to preferred drinking temperature before preparing Renastart. Mix in Renastart powder as instructed. Stir in syrup and vanilla until combined.

### **Tasty Hot Chocolate**

### Serves: 1

### **Ingredients:**

100 ml Renastart (approx. 3 ½ fl oz) 1 Tbsp Nesquik<sup>®</sup> chocolate syrup

### **Directions:**

Heat water to preferred drinking temperature before preparing Renastart. Mix in Renastart powder as instructed. Stir in chocolate syrup..

150 calories2 g protein43 mg potassium29 mg phosphorus

180 calories

2 g protein

59 mg potassium

32 mg phosphorus

# The recipes are best served immediately. If not consumed immediately, tightly cover, refrigerate, and use within 24 hours.

Renastart<sup>™</sup> is for use in the dietary management of pediatric kidney disease from 1 year of age and under medical supervision. Be sure to ask your child's healthcare professional about which recipes are appropriate for them.

This recipe was analyzed using FoodData Central. The nutrition information could change depending on the brand of the product you choose and should only serve as a guideline. Always check the nutrition label of any product substitution to ensure it is suitable for your child. Refer to labels for allergen information and suitability.

For more information, visit **www.VitafloUSA.com** email **vitafloNAM@vitaflousa.com** or call **888-848-2356.**